Vol. 151 Nos. 1 and 2

gene

30 December 1994

W. Szybalski – Editor-in-Chief

CONTENTS

Grimm, A., Madduri, K., Ali, A. and Hutchinson, C.R. 1–10
Characterization of the *Streptomyces peucetius* ATCC 29050 genes encoding doxorubicin polyketide synthase

Sugiyama, M., Thompson, C.J., Kumagai, T., Suzuki, K., Deblaere, R., Villarroel, R. and Davies, J. 11–16
Characterisation by molecular cloning of two genes from *Streptomyces verticillus* encoding resistance to bleomycin

Calcutt, M.J. and Schmidt, F.J. 17–21
Gene organization in the bleomycin-resistance region of the producer organism *Streptomyces verticillus*

Calcutt, M.J. 23–28
Gene organization in the *dnaA-gyrA* region of the *Streptomyces coelicolor* chromosome

Ng, L.C., Shingler, V., Sze, C.C. and Poh, C.L. 29–36
Cloning and sequences of the first eight genes of the chromosomally encoded (methyl)phenol degradation pathway from *Pseudomonas putida* P35X

Zock, J., Cantwell, C., Swartling, J., Hodges, R., Pohl, T., Sutton, K., Rosteck Jr., P., McGilvray, D. and Queener, S. 37–43
The *Bacillus subtilis pnbA* gene encoding *p*-nitrobenzyl esterase: cloning, sequence and high-level expression in *Escherichia coli*

Kushwaha, A., Chowdhury, P.S., Arora, K., Abrol, S. and Chaudhary, V.K. 45–51
Construction and characterization of M13 bacteriophages displaying functional IgG-binding domains of Staphylococcal protein A

Mikkonen, M. and Alatossava, T. 53–59
Characterization of the genome region encoding structural proteins of *Lactobacillus delbrueckii* subsp. *lactis* bacteriophage LL-H

Eng, W.-K., Faucette, L., McLaughlin, M.M., Cafferkey, R., Koltin, Y., Morris, R.A., Young, P.R., Johnson, R.K. and Livi, G.P. 61–71
The yeast *FKS1* gene encodes a novel membrane protein, mutations in which confer FK506 and cyclosporin A hypersensitivity and calcineurin-dependent growth

Van den Hombergh, J.P.T.W., Jarai, G., Buxton, F.P. and Visser, J. 73–79
Cloning, characterization and expression of *pepF*, a gene encoding a serine carboxypeptidase from *Aspergillus niger*

Olive, M., Thézé, N., Philippe, M., Le Pennec, J.-P. and Lerivray, H. 81–88
Cloning of the *Xenopus laevis cdk2* promoter and functional analysis in oocytes and during early development

Kay, P.H., Pereira, E., Marlow, S.A., Turbett, G., Mitchell, C.A., Jacobsen, P.F., Holliday, R. and Papadimitriou, J.M. 89–95
Evidence for adenine methylation within the mouse myogenic gene *Myo-D1*

Short Communications

Ahmed, A. 97–101
Isolation of nested, bidirectional deletions by the use of exonuclease III on double-origin vectors

Osuský, M., Stuchlík, S., Zámocký, M., Dubaová, M., Janitorová, V. and Turňa, J. 103–108
Vectors with the fd replicon for in vivo cloning and analysis of genes

Geoffroy, F., Sodoyer, R. and Aujame, L. 109–113
A new phage display system to construct multicombinatorial libraries of very large antibody repertoires

McConnell, S.J., Kendall, M.L., Reilly, T.M. and Hoess, R.H. 115–118
Constrained peptide libraries as a tool for finding mimotopes

Weiner, M.P., Costa, G.L., Schoettlin, W., Cline, J., Mathur, E. and Bauer, J.C. 119–123
Site-directed mutagenesis of double-stranded DNA by the polymerase chain reaction

Rodríguez-Quiñones, F., Hernández-Allés, S., Albertí, S., Escribá, P.V. and Benedí, V.J. 125–130
A novel plasmid series for in vitro production of *phoA* translational fusions and its use in the construction of *Escherichia coli* PhoE::PhoA hybrid proteins

Skerra, A. 131–135
Use of the tetracycline promoter for the tightly regulated production of a murine antibody fragment in *Escherichia coli*

Herbst, B., Kneip, S. and Bremer, E. 137–142
pOSEX: vectors for osmotically controlled and finely tuned gene expression in *Escherichia coli*

Huang, B., Shi, Z. and Tsai, M.-D. 143–145
A small, high-copy-number vector suitable for both in vitro and in vivo gene expression

Majumder, K., Choudhury, S. and Bhatnagar, R.K. ... 147–151
Recombinant enrichment by exploitation of restriction sites with interrupted palindromes: design, synthesis and incorporation of zero-background linkers in cloning and expression vectors

Galindo, J.M., Guarneros, G. and De La Vega, F.M. 153–156
Open reading frames flanking the peptidyl-tRNA hydrolase-encoding gene of *Escherichia coli*

Boyle, S.M., Barroso, L., Moore, R.C., Wright, J.M. and Patel, T. 157–160
Primary structure of the *speC* gene encoding biosynthetic ornithine decarboxylase in *Escherichia coli*

Metzger, R., Brown, D.P., Grealish, P., Staver, M.J., Versalovic, J., Lupski, J.R. and Katz, L. 161–166
Characterization of the macromolecular synthesis (MMS) operon from *Listeria monocytogenes*

Rodicio, M.R., Quinton-Jager, T., Moran, L.S., Slatko, B.E. and Wilson, G.G. 167–172
Organization and sequence of the *Sal*I restriction-modification system

Robinson, K.A. and Schreier, H.J. 173–176
Isolation, sequence and characterization of the maltose-regulated *mlrA* gene from the hyperthermophilic archaeum *Pyrococcus furiosus*

Jónsson, Z.O., Thorbjarnardóttir, S.H., Eggertsson, G. and Palsdottir, A. 177–180
Sequence of the DNA ligase-encoding gene from *Thermus scotoductus* and conserved motifs in DNA ligases

0378-1119(199412)151:1/2;1-Y

(continued on inside back cover)

CONTENTS (*cont.*)

Sano, K.-I. and Miyata, M. 181–183
The *gyrB* gene lies opposite from the replication origin on the circular chromosome of *Mycoplasma capricolum*

Mo, Y.-y. and Mallavia, L.P. 185–190
A *Coxiella burnetii* gene encodes a sensor-like protein

Wood, D.O. and Waite, R.T. 191–196
Sequence analysis of the *Rickettsia prowazekii gyrA* gene

Shang, H.-S., Wong, S.-M., Tan, H.-M. and Wu, M. 197–201
YKE2, a yeast nuclear gene encoding a protein showing homology to mouse KE2 and containing a putative leucine-zipper motif

Ono, T., Suzuki, T., Anraku, Y. and Iida, H. 203–208
The *MID2* gene encodes a putative integral membrane protein with a Ca^{2+}-binding domain and shows mating pheromone-stimulated expression in *Saccharomyces cerevisiae*

Good, P.D. and Engelke, D.R. 209–214
Yeast expression vectors using RNA polymerase III promoters

Yu, G., Li, J. and Young, D. 215–220
The *Schizosaccharomyces pombe pka1* gene, encoding a homolog of cAMP-dependent protein kinase

Rodríguez-Maseda, H. and Musto, H. 221–224
The compositional compartments of the nuclear genomes of *Trypanosoma brucei* and *T. cruzi*

Su, X.-z. and Wellems, T.E. 225–230
Sequence, transcript characterization and polymorphisms of a *Plasmodium falciparum* gene belonging to the heat-shock protein (HSP) 90 family

Jahn, C.L., Erbeznik, M., Jaraczewski, J.W., Melek, M. and Shippen, D.E. 231–235
Sequence of the macronuclear DNA encoding large subunit ribosomal protein 29 (L29) in *Euplotes crassus* and cycloheximide sensitivity

Van der Eycken, W., De Almeida Engler, J., Van Montagu, M. and Gheysen, G. 237–242
Identification and analysis of a cuticular collagen-encoding gene from the plant-parasitic nematode *Meloidogyne incognita*

Warbrick, E. and Glover, D. 243–246
A *Drosophila melanogaster* homolog of the *TIS11* family of immediate early genes that can rescue a *cdr1 cdc25* mutant strain of fission yeast

Skinner, T.L., Kerns, R.T. and Bender, P.K. 247–251
Three different calmodulin-encoding cDNAs isolated by a modified 5′-RACE using degenerate oligodeoxyribonucleotides

Yoshida, T., Schneider, E.L. and Mori, N. 253–255
Cloning of the rat *Gadd45* cDNA and its mRNA expression in the brain

Kickhoefer, V.A. and Rome, L.H. 257–260
The sequence of a cDNA encoding the major vault protein from *Rattus norvegicus*

King, P.H. 261–265
Hel-N2: a novel isoform of Hel-N1 which is conserved in rat neural tissue and produced in early embryogenesis

Hayzer, D.J., Shoji, M., Kim, T.M., Runge, M.S. and Hanson, S.R. 267–271
Alternative splicing of the mRNA encoding baboon glycoprotein receptor GPIIb

Zannis-Hadjopoulos, M., Nielsen, T.O., Todd, A. and Price, G.B. 273–277
Autonomous replication in vivo and in vitro of clones spanning the region of the *DHFR* origin of bidirectional replication (*oriβ*)

Wei, W., Das, B., Park, W. and Broek, D. 279–284
Cloning and analysis of human cDNAs encoding a 140-kDa brain guanine nucleotide-exchange factor, $Cdc25^{GEF}$, which regulates the function of Ras

Hsu, L.C., Chang, W.-C. and Yoshida, A. 285–289
Cloning of a cDNA encoding human ALDH7, a new member of the aldehyde dehydrogenase family

Honoré, B., Leffers, H., Madsen, P. and Celis, J.E. .. 291–296
Cloning of a cDNA encoding a novel human nuclear phosphoprotein belonging to the WD-40 family

Piriev, N.I., Khramtsov, N.V. and Lipkin, V.M. 297–301
Cloning and characterization of the gene encoding the cGMP-phosphodiesterase γ-subunit of human rod photoreceptor cells

Bobek, L.A., Ramasubbu, N., Wang, X., Weaver, T.R. and Levine, M.J. 303–308
Biological activities and secondary structures of variant forms of human salivary cystatin SN produced in *Escherichia coli*

Deed, R.W., Hirose, T., Mitchell, E.L.D., Santibanez-Koref, M.F. and Norton, J.D. 309–314
Structural organisation and chromosomal mapping of the human *Id-3* gene

Borden, P., Song, K. and Heller, R.A. 315–320
The human stromelysin promoter contains a previously unreported 1.0-kb sequence

Atchison, L., Comis, R.L. and Atchison, M.L. 321–324
Construction of human chromosome-3-specific radiation hybrids and characterization by *Alu*-PCR

Atchison, L., Comis, R.L. and Atchison, M.L. 325–328
Construction of rare restriction site (*Not*I, *Sac*II and *Cla*I) linking libraries and sequence-tagged site analysis of single-copy clones from a human chromosome-3-specific library

Brief Notes

Clark, E. and Cirvilleri, G. 329–330
Cloning cassettes containing the reporter gene *xylE*

Ghersa, P., Whelan, J., Pescini, R., DeLamarter, J.F. and Hooft van Huijsduijnen, R. 331–332
Commonly used *cat* reporter vectors contain a cAMP-inducible, cryptic enhancer that co-operates with NF-κB-sites

Power, C.A., Furness, R.B., Brawand, C. and Wells, T.N.C. 333–334
Cloning of a full-length cDNA encoding the neutrophil-activating peptide ENA-78 from human platelets

Farley, P.J., Srivastava, R. and Long, C.A. 335–336
Sequence of the gene encoding the N-terminal portion of the *Plasmodium yoelii yoelii* 17XL merozoite surface protein-1 (MSP-1)

Johnson II, M.C., Goodman, R.B., Kajikawa, O., Wong, V.A., Mongovin, S.M. and Martin, T.R. 337–338
Cloning of two rabbit *GRO* homologues and their expression in alveolar macrophages

Lai, L.-P., Deng, C.-L., Moss, A.J., Kass, R.S. and Liang, C.-s. 339–340
Polymorphism of the gene encoding a human minimal potassium ion channel (*minK*)

Author Index Vol. 151 (1994) 341–345